



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

Laſtly, It might have happened that this little *Leach* came out of the Body of ſome ſmall Fiſh into that of the *Bonite*, which had ſwallowed it. I made this Obſervation the 28th of *July*, 1724, in a Voyage from *Batavia* to *Bengal*.

*Explanation of the Figure Tab. I. Fig. 2.*

- A, The Body, in its natural Bigneſs.
  - B, The Belly, through which appear ſome black Lines, which are its Entrails.
  - C, The Protuberance, with which it faſtens itſelf.
  - D, The Places where it places the Pump and Protuberance, when it moves along.
  - E, The Head, under which is the Pump.
- The pricked Circles are to mark the Extent of the Motions of its Head and Belly.

III. Typus Eclipſeos Solaris obſervatæ Julii 15, S. N. 4, S. V. Anno 1730. Witebergæ Saxonum, à Joh. Frider. Weidler, J. U. D. Mathem. Prof. Ordin. Reg. Soc. Scientiar. Pruſſ. Sodali.

*Tempus Ver.  
antem.*

H. !    "  
3 56    ○  
59    ○

*Phaſes Eclipticæ.*

*Digit. Min.*  
Sol oritur poſt Nubes.  
5 & paulo plus Sol latet  
poſt Nubes.

H.	'	"	Dig.	Min.
4	10	30	6	55
	26	0	6	30
	33	0	6	0
	38	0	5	30
	43	30	5	0
	47	0	4	30
	50	15	4	0
	53	30	3	30
	57	0	3	0
5	3	30	2	0
	7	0	1	30
	10	30	1	0
	13	0	0	30
	15	30		Finis.

## A N N O T A T.

I. Sol oriens figuram orbis monstrat ellipticam : diameter verticalis duobus digitis five sexta sui parte contractior apparet horizontali.

II. Memorabilis erat conspectus orbis Lunæ aspero margine præditi, quoad partem quæ in occasum spectabat. Distincte enim cernabatur H. 4. M. 3. Vallis  $\frac{1}{10}$  diam. Lunæ profunda &  $\frac{1}{12}$  ejusdem diam. circiter longa. In progressu eclipseos asperitas limbi Lunæ minuebatur, & adhærente eidem fascia cœrulea abscondebatur. Hæc enim fascia sensim sole altius surgente dilatabatur. Tum præter colorem cœruleum etiam puniceus Lunæ proprius incumbens in oculos incurrebat, & circa finem deliquii fasciæ coloratæ spissitudo

trigesimæ

trigesimæ sextæ parti diametri Lunarîs prope par videbatur.

III. Præterea juxta Lunarîs disci marginem coloratum perpetua Luminis solaris commotio notata est.

#### IV. Observatio ejusdem Defectûs Solis habita Patavii, ab J. Poleno.

**O**RIENTE Sole, Nubes tenues Finitorem quasi cingebant: quibus deinde evanescentibus, aer tantillum nebulosus fuit, ut maculæ solares haud satis distincte apparerent.

<i>Digiti</i>	<i>Temp.</i>	<i>Ver.</i>	
<i>Obscur.</i>	H.	'	"
			<i>July 14. 1730. S. N.</i>
4	16	46	12
3 $\frac{1}{2}$	16	48	7
3	16	50	36
2	16	57	24
1	17	1	20
$\frac{1}{2}$	17	3	29
Finis	17	6	8
totius			
Obscur.			